



## SEQUENCE LISTING

<110> NAKARI-SETALA, Tiina et al.

<120> A METHOD FOR DECREASING THE FOAM FORMATION DURING CULTIVATION OF A MICROORGANISM

<130> 0365-0529P

<140> US 10/050,000

<141> 2002-05-03

<160> 9

<170> PatentIn Ver. 2.1

<210> 1

<211> 2868

<212> DNA

<213> *Trichoderma reesei*

<220>

<221> gene

<222> (1523)..(1950)

<223> hfb1

<400> 1

tttgtatggc	tggatctcga	aaggcccttg	tcatcgccaa	gcgtggctaa	tatcgaatga	60
gggacaccga	gttgcatac	tctgatcat	tcaaacgaca	agtgtgaggt	aggcaatcct	120
cgtatcccat	tgctgggctg	aaagcttcac	acgtatcgca	taagcgtctc	caaccagtgc	180
ttaggtgacc	cttaaggata	cttacagtaa	gactgtatta	agtcagtcac	tctttcactc	240
gggctttgaa	tacgactctc	aatactccc	ataacagtaa	gaggatgata	cagcctgcag	300
ttggcaaagt	taagcgtaat	taaactcagc	tgaacggccc	ttgttgaaag	tctctctcga	360
tcaaagcaaa	gctatccaca	gacaagggtt	aagcaggctc	actcttccta	cgccttggat	420
atgcagcttg	gccagcatcg	cgcattggcca	atgatgcacc	cttcacggcc	caacggatct	480
cccgttaaac	tcccctgtaa	cttggcatca	ctcatctgtg	atcccaacag	actgagttgg	540
gggctgcggc	tggcggatgt	cggagcaaag	gatcacttca	agagcccaga	tccggttggt	600
ccattgccaa	tggatctaga	ttcggcacct	tgatctcgat	cactgagaca	tggtagattg	660
cccggacgca	ccacaactcc	ccctgtgtca	ttgagtcccc	atatgcgtct	tctcagcgtg	720
caactctgag	acggattagt	cctcacgatg	aaattaactt	ccagcttaag	ttcgtagcct	780
tgaatgagtg	aagaaatttc	aaaaacaaac	tgagtagagg	tcttgagcag	ctgggggtgg	840
acgcccctcc	tgcactcttg	ggacatcgta	cggcagagaa	tcaacggatt	cacacctttg	900
ggtcgagatg	agctgatctc	gacagatacg	tgcttcacca	cagctgcagc	tacctttgcc	960
caaccattgc	gttccaggat	cttgcattac	atcacccgag	cacccgagcc	aggacggaga	1020
gaacaatccg	gccacagagc	agcaccgcct	tccaactctg	ctcctggcaa	cgtcacacaa	1080
cctgatatta	gatatccacc	tgggtgattg	ccattgcaga	gaggtggcag	ttggtgatac	1140
cgactggcca	tgcaagacgc	ggccgggcta	gctgaaatgt	ccccgagagg	acaattggga	1200
gcgtctatga	cggcgtggag	acgacgggaa	aggactcagc	cgtcatgttg	tgttgccaat	1260
ttgagattgt	tgaccgggaa	aggggggacg	aagaggatgg	ctgggtgagg	tggattggg	1320
aggatgcatc	attcgactca	gtgagcgatg	tagagctcca	agaatataaa	tatcccttct	1380
ctgtcttctc	aaaatctcct	tccatcttgt	ccttcacatc	caccagagcc	agcctgaaca	1440
cctccagtca	acttccctta	ccagtacatc	tgaatcaaca	tccattcttt	gaaatctcac	1500
cacaaccacc	atcttcttca	aaatgaagtt	cttcgccatc	gccgctctct	ttgccgccgc	1560
tgccgttgcc	cagcctctcg	aggaccgcag	caacggcaac	ggcaatgttt	gccctcccgg	1620
cctcttcagc	aacccccagt	gctgtgccac	ccaagtcctt	ggcctcatcg	gccttgactg	1680
caaagtccgt	aagttgagcc	ataacataag	aatcctcttg	acggaaatat	gccttctcac	1740
tcctttaccc	ctgaacagcc	tcccagaacg	tttacgacgg	caccgacttc	cgcaacgtct	1800

gcgcctaaac	cggcgcccag	cctctctgct	gcggtggccc	cgttgtaagt	tgatgcccc	1860
gctcaagctc	cagtcttttg	caaaccatt	ctgacaccca	gactgcagge	cggccagggt	1920
cttctgtgcc	agaccgccgt	cgggtgcttg	gatgcccgc	cggggtcaag	gtgtgcccgt	1980
gagaaagccc	acaaagtgtt	gatgaggacc	atttcgggta	ctgggaaagt	tggctccacg	2040
tgtttgggca	ggtttgggca	agttgtgtag	atattccatt	cgtacgccat	tcttattctc	2100
caatatttca	gtacactttt	cttcataaat	caaaaagact	gctatttctt	ttgtgacatg	2160
ccggaaggga	acaattgctc	ttgggtctctg	ttatttgcaa	gtaggagtgg	gagattcgcc	2220
ttagagaaag	tagagaagct	gtgcttgacc	gtggtgtgac	tcgacgagga	tggactgaga	2280
gtgttaggat	taggtcgaac	gttgaagtgt	atacaggatc	gtctggcaac	ccacggatcc	2340
tatgacttga	tgcaatgggtg	aagatgaatg	acagtgtgag	aggaaaagga	aatgtccgcc	2400
ttcagctgat	atccacgcca	atgatacagc	gatatacctc	caatatctgt	gggaacgaga	2460
catgacatat	ttgtgggaac	aacttcaaac	agcgagccaa	gacctcaata	tgacacatcca	2520
aagccaaaca	ttggcaagac	gagagacagt	cacattgtcg	tcgaaagatg	gcacgtgacc	2580
caaatcatca	gctctcatta	tcgcctaaac	cacagattgt	ttgccgtccc	ccaactccaa	2640
aacgttacta	caaaagacat	gggcgaatgc	aaagacctga	aagcaaacc	tttttgcgac	2700
tcaattccct	cctttgtcct	cggaatgatg	atccttcacc	aagtaaaaga	aaaagaagat	2760
tgagataata	catgaaaagc	acaacggaaa	cgaaagaacc	aggaaaagaa	taaatctatc	2820
acgcaccttg	tccccacact	aaaagcaaca	gggggggtaa	aatgaaat		2868

<210> 2  
 <211> 3585  
 <212> DNA  
 <213> Trichoderma reesei

<220>  
 <221> gene  
 <222> (1191)..(1593)  
 <223> hfb2

<220>  
 <221> unknown  
 <222> (1917)..(1917)  
 <223> n = a, c, t, g, unknown, or other

<220>  
 <221> unknown  
 <222> (2160)..(2160)  
 <223> n = a, c, t, g, unknown, or other

<220>  
 <221> unknown  
 <222> (3515)..(3515)  
 <223> n = a, c, t, g, unknown, or other

<400> 2						
ctcgagcagc	tgaagcttgc	atgcctgcat	cctttgtgag	cgactgcac	cattttgcac	60
acactgccgt	cgacgtctct	cttccgacct	tggccagctg	gacaagcaac	acaccaatga	120
cgctttgtat	tattagagta	tatgcaagtc	tcaggactat	cgactcaact	ctaccacccg	180
aggacgatcg	cggcacgata	cgccctcggt	ctcattggcc	caagcagacc	aactgcccct	240
ggagcaagat	tcagcccaag	ggagatggac	ggcagggcac	gccaggcccc	caccaccaag	300
ccactcccct	tggccaaatc	agcttgcatg	tcaagagaca	tcgagctgtg	ccttgaaatt	360
actaacaacc	agggatggga	aacgaagcct	gcttttggaa	agacaacaat	gagagagaga	420
gagagaggga	gagagacaat	gagtgccaca	aacctggtag	tgctccgcca	atgcgtctga	480
aatgtcacat	ccgagtcctg	gggcctctgt	gagaatgtcc	agagtaatac	gtgttttgcg	540
aatagtcctc	tttcttgagg	actggatacc	tacgataccc	tttttgagtt	gatgcgggtgc	600
tttcgaagta	ttatctggag	gatagaagac	gtctaggtta	ctacacaaaa	ggcctatact	660

ttggggagta	gcccacgaa	aggtaactcc	tacggcctct	tagagccgtc	atagatccta	720
cagcctcttg	gagccgtcat	agatcacatc	tgtgtagacc	gacattctat	gaataatcat	780
ctcatcatgg	ccacatacta	ctacatacgt	gtctctgcct	acctgacatg	tagcagtggc	840
caagacacca	aggccccagc	atcaagcctc	cctacctatc	ccttccattg	tacagcggca	900
gagagattgc	gatgagccct	ctccctacct	acagacggct	gacaatgtcc	gtataccacc	960
agccaacgtg	atgaaaacaa	ggacatgagg	aacagcctgc	gagagctgga	agatgaagag	1020
ggccagaaaa	aaaagtataa	agaagacctc	gattccccgc	atccaacaat	cttttccatc	1080
ctcatcagca	cactcatcta	caaccatcac	cacattcact	caactcctct	ttctcaactc	1140
tccaaacaca	aacattcttt	gttgaatacc	aaccatcacc	acctttcaag	atgcagttct	1200
tcgccgtcgc	cctcttcgcc	accagcgccc	tggtgtctgt	ctgccctacc	ggcctcttct	1260
ccaaccctct	gtgctgtgcc	accaacgtcc	tcgacctcat	tggcgttgac	tgcaagaccc	1320
gtagtgtgaa	ttccaatctc	tgggcattct	gacattggac	gatacagttg	acttacacga	1380
tgctttacag	ctaccatcgc	cgtcgacact	ggcgccatct	tccaggctca	ctgtgccagc	1440
aagggctcca	agcctctttg	ctgcgttgct	cccgtggtaa	gtagtgctcg	caatggcaaa	1500
gaagtaaaaa	gacatttggg	cctgggatcg	ctaactcttg	atatcaaggc	cgaccaggct	1560
ctcctgtgcc	agaaggccat	cggcaccttc	taaagcaatg	gcttgcttta	ctgccggcag	1620
tctttgagaa	ctctgggctc	acaaaagacg	acttgcatgt	atcatggggg	ctcgcaaatg	1680
ggaggatttg	gaggggattg	aggctgggtt	tggcctatta	gaggattgca	taatggaaga	1740
tttgcgagca	ggacatagac	gtatctagag	ttctagtcaa	tacattattg	aaaagttgga	1800
gtatacctat	cgctggcact	ggtatcttga	agatatcttc	tcttcttgtg	aggttatgta	1860
tggcaatcag	tcgaaatcta	tttgaagaca	gagctcaagc	ttcaaacatt	cacctgngaa	1920
ttgaccattt	tgtttcgatg	gttgacgttg	gtgggtgtca	cttctgcaat	catgtacgag	1980
cacaagtata	gcagtattcc	atctgatctg	catctgggta	aatgtcgcca	ctctacctag	2040
gtacccaata	aataccgaat	tggtcagctc	tcgggtgaca	aaccggcccc	cttttcgacc	2100
gtgctctgtc	caattctagg	cttgtcaatg	gttcctgact	gtgataaacc	ttggagctan	2160
cataacttac	cttacaataa	atccaactgc	cggcacttgc	ttcccttcac	ccaaccactc	2220
gcaaacatca	cgcaacctgt	ctcgatcccc	tgtccgaaat	ctgcttgga	acgtatcatc	2280
acaaatcata	cacacagaca	aaaaggagcc	aaagcagcaa	tggcaagaca	ccgaggcccg	2340
cagcgcgccc	gtcgccgttt	ttaaaaagcg	aagcgcaaa	ggcaaagcca	acctgcgcaa	2400
acgaacaacg	aagcettccc	cccgcgcga	gcgacagcga	cagcgacagc	gacttttcc	2460
cgtcggaaga	cgaagccggg	cacagagtca	agaggcgcaa	gaggacggcc	gtcgtcaccg	2520
ccgcccggga	ggggcgccgc	gcccagcaac	cgggacgacg	gcggcggcgc	aacagccgcc	2580
ttcacggcca	acagaagcgt	cccgattgct	gacagcaacg	acgcgaccaa	gcacagcaac	2640
tggtagcgacg	aggacgcaaa	ggacgcgctc	tcggcaaaaga	acctcctcgg	atcttcgaga	2700
gcgtccaagg	acgcgcagcc	agacggcacg	tacaagggcc	tggcgaacca	gacgtccttt	2760
atacaaaaaga	atccggatgc	gccccggaag	acagttgggc	ccgtcaaggc	gcctaccaac	2820
atccgcaccg	tcaccattac	agattatgcc	ccggacacgt	gtaaagagtg	agttttgcac	2880
aatagccaga	atcccccccc	ccgataccgt	acattgagca	tatgctgact	cgtcataatc	2940
tttctagtta	tcgcataacc	ggctatataa	gtactcccct	tttccatgat	tattccagtc	3000
gcgtactgac	atctctagga	gcctttactg	tggttttggc	gacaattgca	agtatcttca	3060
cgcgagagaa	gacctcaagg	caggctggca	gctggatcaa	gagtgggaaa	aggtcaccaa	3120
gggcaagaag	aacctggggg	gaacggtagt	ggccagcgcg	aaccggaaca	aggccaaggt	3180
ggacgagggc	gacgacgacg	acgacgaaga	ggcgatgctc	gagaacattc	cgtttgccctg	3240
catcatctgc	agggaatcgt	acaaggagcc	gattgtgacg	aggtgcgggc	actacttttg	3300
cctgccgtgc	gctctgcagc	ggtacaagaa	ggatccgacg	tgtgcggcgt	gtggctcggg	3360
cacgaatggc	gtgtttaatt	cggcgacgag	gttgaagaag	ctgctggaga	agaagagggg	3420
gagggcggcc	aggaggagac	aggaggcgat	agagaggggc	gaggaagtca	gtgatgaaga	3480
ggaggaggag	gaggaggact	gatgatgatg	gggcnagatg	acgatgcagg	tcgactctag	3540
agatcccccg	taccgagctc	gaattcatcg	atgatatcag	atccc		3585

<210> 3

<211> 63

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: 5' primer

<400> 3

actacacgga ggagctcgac gacttcgagc agcccgagct gcacgcagag caacggcaac 60  
ggc 63

<210> 4

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: 3'primer

<400> 4

tcgtacggat cctcaagcac cgacggcggt 30

<210> 5

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: linker

<400> 5

Pro Gly Ala Ser Thr Ser Thr Gly Met Gly Pro Gly Gly  
1 5 10

<210> 6

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: linker

<400> 6

Gly Thr Leu Val Pro Arg Gly Pro Ala Glu Val Asn Leu Val  
1 5 10

<210> 7

<211> 48

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: 5'primer

<400> 7

gaattcggta ccctcgtccc tcgcggtccc gccgaagtga acctggtg 48

<210> 8  
<211> 34  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: 3'primer

<400> 8  
tgaattccat atgctaaccg cgtttcatct ccag

34

<210> 9  
<211> 157  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Hydrophobin protein derived from fungi

<220>  
<221> misc\_feature  
<222> (1)..(38)  
<223> Xaa can be any naturally occurring amino acid and at least  
2 and up to 38 amino acids can either be present or absent

<220>  
<221> misc\_feature  
<222> (40)..(48)  
<223> Xaa can be any naturally occurring amino acid and at least  
5 and up to 9 amino acids can either be present or absent

<220>  
<221> misc\_feature  
<222> (51)..(89)  
<223> Xaa can be any naturally occurring amino acid and at least  
11 and up to 39 amino acids can either be present or absent

<220>  
<221> misc\_feature  
<222> (91)..(113)  
<223> Xaa can be any naturally occurring amino acid and at least  
8 and up to 23 amino acids can either be present or absent

<220>  
<221> misc\_feature  
<222> (115)..(123)  
<223> Xaa can be any naturally occurring amino acid and at least  
5 and up to 9 amino acids can either be present or absent

<220>  
<221> misc\_feature  
<222> (126)..(143)  
<223> Xaa can be any naturally occurring amino acid and at least  
6 and up to 18 amino acids can either be present or absent

<220>  
 <221> misc\_feature  
 <222> (145)..(157)  
 <223> Xaa can be any naturally occurring amino acid and at least  
 2 and up to 13 amino acids can either be present or absent

<400> 9

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
 20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
 35 40 45

Cys Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
 50 55 60

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
 65 70 75 80

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa  
 85 90 95

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
 100 105 110

Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Cys Xaa Xaa Xaa  
 115 120 125

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys  
 130 135 140

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
 145 150 155